


Order Code: "GSSTKIT"

The Gutta Sump System is a unique use of a shape that allows box gutter discharges to flow into the downpipe utilizing the Coriolis effect and disposes in 100mm DP at >80l/s



Order Code: "GS Grate"

The Wire Grate prevents sheets of Paper, balls , pidgeons etc but allows an overflow over the top in the event of restriction on the same.



Order Code: "Spigot"

The 150mm to 100 Spigot fits the Sphere on the Sump allowing a flexible efficient Connection out to 45 degrees from horizontal

Order Code: **GSSTKIT**

Special Products Supplies



Drawing NO: B b 3 1


July 2010

The Lo Profile Sump has a lower profile being 170mm overall and caters for Shallow roof spaces
The Flow is reduced by approx 35% into the
The Diameter is 400mm to the outside and the sides can easily be folded up to fit a min Gutter of 370mm width.




The Gutta Sump System is a unique use of a shape that allows box gutter discharges to flow into the downpipe utilizing the Coriolis effect and disposes in 100mm DP at >40L/s

Order Code: "GS Grate"



The Wire Grate prevents sheets of Paper, balls , pigeons etc but allows an overflow over the top in the event of restriction on the same.


Order Code: "Spigot"



The 150mm to 100 Spigot fits the Sphere on the Sump allowing a flexible efficient Connection out to 45 degrees from horizontal


Order Code: **GSLOKIT**

Special Products Supplies




Drawing NO: B b 2 1

July 2010




Kit Includes "SPIGOT"

Utilizing the very high performing Gutta Sump, the overflow allows building designers to specify with confidence without concern to the changing weather . Sceptic or not it makes sense to give your client at the best for so little cost



There are a range of methods to dispose of the Overflow with a range of outlets to simplify the selection for designer & Installer.



Options are based on the many conditions that are encountered on most sites. Refer to additional drawings.

Order Code: **GSSOFKIT**


Special Products Supplies



Drawing NO: B b 3 1 1


July 2010

A 100mm Diameter Poly pipe is available for connection between
OF Sump & outlets
Order Code: GSOF Flex




Order code for Oblique Outlet
"GSOF OB"
(Need to define colour)

There being a few options for outlets the designer needs to
consider the base of Box Gutter to preferred outlet
position , Refer details to
email:modtec@specialproducts.com.au for assistance




Facia Outlet with single Louve
Order Code: GSOF L
Louvered Outlet (Colour to be Defined)



The Soffit Outlet allows to fit all before installation of
soffit lining
Order Code:GSOFS

Order Code: **GSOF
extras**

Special Products Supplies



Drawing NO: B b 3 1 2

July 2010